

A crisp, high-power solution for an outdoor sound system that needs a wide band of sound, as well as reliable longevity. The 93137 is a weather-resistant Oaktron driver able to stave off damage from moisture, rust, and UV rays thanks to polypropylene and Santoprene cone components, an ABS/glass-filled tweeter bridge, and a powder coat treatment underneath its eye-catching blue basket finish.

- Coaxial Speaker
- 5.25 in. (133 mm) steel basket diameter
- 25 watts, 4 ohm, 88 dB SPL
- 1 in. copper voice coil, Kapton former
- PEI dome tweeter coaxially mounted
- Polypropylene cone, ferrite magnet



Primary Specifications

Size, Nominal (inch & mm)	5" (127 mm)
Rated Impedance (Ω)	4
Continuous Power (W)	25
Sensitivity (dB SPL) ¹	88
Frequency Range (Hz)	40 - 20,000
Resonant Frequency (Fs) (Hz) +/- 15%	50

More Specifications

Application	Outdoor
RoHS Compliant	No
Program Power (W)	50
Continuous Power (W)	25

Small Signal Parameters

Nominal Impedance (Z) (Ω)	4
Resonant Frequency (Fs) (Hz) +/- 15%	50

Material Descriptions

Basket Type	Stamped steel
Terminal Size (mm)	5.2 x 0.5
Voice Coil Diameter (mm)	25.4
Voice Coil Wire Material	Copper
Voice Coil Former Material	Nomex
Magnet Material	Ferrite
Magnet Weight (g)	283.5
Cone Body Material	Polypropylene
Spider Material	Cotton
Dust Cap Material	Polypropylene
Net Weight (kg)	0.94

